PRODUCT-DETAILS

NC20-S/OR/50M

STANDARD WEIGHT NYLON ORANGE CONDUI



General Information

Extended Product Type	NC20-S/OR/50M
Product ID	7TCA298000R0233
EAN	5020963053375
Catalog Description	STANDARD WEIGHT NYLON ORANGE CONDUI
Long Description	Standard Weight, General Purpose Slit Conduit, NC Size 20/NW Size 17, Outside Diameter 21.2mm, Inside Diameter 16.6mm, Static Bend Radius 35mm, High Flexibility and Fatigue Life, IP40 Rating, Polyamide 6, Reel Length 50 Meters, Orange

Additional Information

Application	General Purpose
Product Type	Slit Standard Weight Conduit

Ordering

EAN	5020963053375
UPC	786210309118
Customs Tariff Number	3926909985

Dimensions

Product Net Depth / Length	50 m

Technical

Number of Batteries	0
Color	Orange
Material	Polyamide/Nylon 6

Environmental

WEEE Category	Product Not in WEEE Scope

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	17.32 in 440 mm
Package Level 1 Width	17.32 in 440 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	NC20-S/OR/50M
Instructions and Manuals	NC20-S/OR/50M
Declaration of Conformity - CE	9AKK107492A9616
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

